HP Laser MFP 1188



Get productive MFP performance at an affordable price. Print, scan, copy, and fax,⁶ produce high-quality results, and print and scan from your phone.^{1,7}





Legendary quality, surprisingly affordable price

- This surprisingly small laser delivers exceptional quality, page after page.
- Produce sharp text, bold blacks, and crisp graphics.
- Rely on a high-performance laser MFP at an affordable price.

Designed to fit your space

- You can fit this MFP almost anywhere it's that small and compact.
- Get print speeds up to 20 ppm.²
- Get hands-free printing, scanning, copying, and faxing, using the 40-page ADF.⁶
- Get quick and easy printing and faxing directly at the control panel.

Easy mobile printing and scanning with HP Smart app

- Get simple setup, and print and scan from your phone, with the HP Smart app.^{1,7}
- Easily print from a variety of smartphones and tablets.^{3,7}
- Easily share resources access and print with wireless and Ethernet networking.^{4,7,8}
- Connect your smartphone or tablet directly to your printer easily print without accessing a network.^{5,7}

Product walkaround

Series at a glance



Model	HP Laser MFP 1188a Printer HP Laser MFP 1188w Printer HP Laser MFP 1188nw Printer		HP Laser MFP 1188nw Printer	HP Laser MFP 1188fnw Printer
Product number	715A2A	715A3A	715A4A	715A5A
Function	Print, copy, scan			Print, copy, scan, fax
Print speed	Up to 20 ppm			
Connectivity	2 Hi-Speed USB 2.0 (device)) 1 Wi-Fi 802.11b/g/n; 2 Hi-Speed USB 2.0 (device) 1 Wi-Fi 802.11b/g/n; 2 Hi-Speed USB 2.0 (device); Ethernet 10/100 Base-T		

Configurable Items, Accessories, Supplies and Support

Supplies	W1660A HP 166A Black Original Laser Toner Cartridge (~1,500 pages)			
Service and Support	U62E3E HP 2 year Next Business Day Advance Exchange Service for Laser 100x 11xx MFP U62E4E HP 3 year Next Business Day Advance Exchange Service for Laser 100x 11xx MFP U62E5E HP 2 year Advance Exchange Service for Laser 100x 11xx MFP U62E5E HP 2 year Advance Exchange Service for Laser 100x 11xx MFP U62E7E HP 3 year Advance Exchange Service for Laser 100x 11xx MFP U62E8E HP 4 year Advance Exchange Service for Laser 100x 11xx MFP U62E9E HP 2 year Advance Exchange Service for Laser 100x 11xx MFP U62E9E HP 2 year Return to Depot Service for Laser 100x 11xx MFP U62F0E HP 3 year Return to Depot Service for Laser 100x 11xx MFP U62F1E HP 4 year Return to Depot Service for Laser 100x 11xx MFP U62F3E HP 3 year Return to Depot Service for Laser 100x 11xx MFP U62F3E HP 3 year Onsite Exchange Service for Laser 100x 11xx MFP U62F3E HP 3 year Onsite Exchange Service for Laser 100x 11xx MFP U62F3E HP 3 year Onsite Exchange Service for Laser 100x 11xx MFP U62F3E HP 3 year Onsite Exchange Service for Laser 100x 11xx MFP U62F4E HP 4 year Onsite Exchange Service for Laser 100x 11xx MFP U62F4E HP 4 year Onsite Exchange Service for Laser 100x 11xx MFP U62F4E HP 1 year Onsite Exchange Service for Laser 100x 11xx MFP U62F4E HP 1 year Onsite Exchange Service for Laser 100x 11xx MFP U62F4E HP 1 year Onsite Exchange Service for Laser 100x 11xx MFP U62F4E HP 1 year Onsite Exchange Service for Laser 100x 11xx MFP U62F4F HP 5 year Onsite Exchange Service for Laser 100x 11xx MFP U62F4F HP 1 year Post Warranty Next Business Day Advance Exchange Service for Laser 100x 11xx MFP U62F4F HP 1 year Post Warranty Next Business Day Advance Exchange Service for Laser 100x 11xx MFP U62F4F HP 1 year Post Warranty Onsite Exchange Service for Laser 100x 11xx MFP U62F4F HP 1 year Post Warranty Onsite Exchange Service for Laser 100x 11xx MFP U62F4F HP 1 year Post Warranty Next Business Day Advance Exchange Service for Laser 100x 11xx MFP			

Technical specifications

Model	HP Laser MFP 1188a Printer	HP Laser MFP 1188w Printer	HP Laser MFP 1188nw Printer	HP Laser MFP 1188fnw Printer
Product number	715A2A	715A3A	715A4A	715A5A
Functions	Print, copy, scan	TISTOR	115000	Print, copy, scan, fax
Control panel	2-Line LCD; 12 Buttons(Power, Cancel, Start, Navigation(Menu, OK, Back, Left, Right), ID_Copy, Contrast, Scale, Info); LED indicator lights(Power, Status)	.ine LCD; 12 Buttons(Power, Cancel, rt. Navigation(Menu, OK, Back, Left, 2-Line LCD: 12 Buttons(Power, Cancel, Start, Navigation(Menu, OK, Back, Left, Bight)		2-Line LCD; 30 Buttons(Power, Cancel, Start, Navigation(Menu, OK, Back, Left, Right), ID_Copy, Contrast, Scale, Wireless, Numeric & Te(1~9, 0, * #, Address Book, Redial, On hook), Mode(Fax, Copy, Scan to), LED indicator lights(Power, Status, Wireless Mode)
Print				
Print technology	Laser			
Print speed ⁷	Black (A4, normal) Up to 20 ppm			
First page out	Black (A4, ready): As fast as 8.3 sec ; Black (A4, sleep): As fast as 18 sec (15 min)		
Print resolution	Black (best): Up to 1,200 x 1,200 dpi ; Techr	nology: ReCP		
Monthly duty cycle ¹⁴	Up to 10,000 pages A4; Recommended mo	nthly page volume ¹⁵ : 100 to 2,000		
Printer smart software features	Manual duplex and booklet print, N-up print	ting, skip blank pages, poster print, waterr	marks	
Standard print languages	SPL		246 256	
Print area Duplex printing	Print margins Top: 5 mm, Bottom: 5 mm, Le	en. 5 mini, kiynt, 5 mm; Maximum print ar	ea. 2 10 X 300 11111	
	Manual (driver support provided)			
Copy speed	Black (A4): Up to 20 cpm			
Copier specifications		ness control; ID Copy; Original Size; Origin	al Type; reduce/enlarge; ; Maximum number of c	copies: Up to 99 copies; Reduce/Enlarge: 25 to
First copy out	A4: As fast as 8.9 sec			
Scan	1			
Scan speed				Normal (A4): Up to 20 ppm (b&w), up to 7 ppm (color)
Scan file format	BMP; JPG; PDF; PNG; TIFF		BMP; JPEG; PDF; PNG; TIFF	
Scanner specifications	Scanner type: Flatbed; Scan technology: Contact Image Sensor (CIS); Scan input modes: Front-panel copy, HP MFP scan software, use application via TWAIN or WIA; Twain version: Version 1.9; Optical scan resolution: Up to 600 × 600 dpi			Scanner type: ADF; Flatbed; Scan technology: Contact Image Sensor (CIS); Scan input modes: Front-panel copy, HP MFP scan software, user application via TWAIN or WIA; Twain version 1.9; Optical scan resolution: Up to 600 × 600 d
Scanner advanced features	Scan to WSD(network support only);Book S	canning; Poster Stitching for multiple scar	n; Text Converting; Scan to E-Book; Existing File	to E-Book
Scannable area	Maximum media size (flatbed): 216 x 297 mm;			Maximum media size (flatbed): 216 x 297 mm; Minimum media size (ADF): 145 x 14: mm Maximum media size (ADF): 216 x 356 mm
Bit depth/ Grey scale levels	8-bit (monochrome) 32-bit (color) / 256	1		
Digital sending	Standard: PC Scan	Standard: Scan to WSD; WSD Scan; PC S	can	
Fax	1			
Fax	No,			Yes, black & white and color (send only), 33.6 kbps
Fax specifications				Fax memory: Up to 400 pages; Fax resolution: Standard: 203 x 98 dpi; Fine: Uj to 203 x 196 dpi; 256 levels of grey; Superfine: Up to 300 x 300 dpi; Quick dialing: Up to 200 numbers
Fax smart software features				Permanent fax memory backup, color faxing, auto fax reduction, auto redialing, delayed sending, fax forwarding, PC fax, Secure receive
Processor speed	600 MHz			
Connectivity	1			
Standard	2 Hi-Speed USB 2.0 (device)	1 Wi-Fi 802.11b/g/n; 2 Hi-Speed USB 2. (device)	0 1 Wi-Fi 802.11b/g/n; 2 Hi-Speed USB 2.0	(device); Ethernet 10/100 Base-TX
Optional	None	1		
Wireless	No	Yes, built-in Wi-Fi 802.11b/g/n		
Mobile printing capability		HP Smart App; Apple AirPrint™; Mopria™ Certified; Wi-Fi® Direct Printing		
Supported network protocols	No	Via built-in networking solution: TCP/IP, IPv4, IPv6; print: TCP-IP port 9100 Direct Mode, LPD (raw queue support only), WSD; discover SLP, Bonjour, WS-Discovery; IP Config: IPv4 (BootP, DHCP, AutoIP, Manual), IPv6 (Stateless Link-Local and via Router, Stateful via DHCPv6); management: SNMPv1/v2/v3, HTTP		
Network capabilities	No		Via built-in 10/100 Base-TX networking	
Memory	Standard: 128 MB; Maximum: 128 MB			

Technical specifications

Model	HP Laser MFP 1188a Printer	HP Laser MFP 1188w Printer	HP Laser MFP 1188nw Printer	HP Laser MFP 1188fnw Printer			
Product number	715A2A	715A3A	715A4A	715A5A			
Media handling							
Number of paper trays	Standard: 1 ; Maximum: 1						
Media types	Plain, Thick, Thin, Cotton, Color, Preprinted, Recycled, Labels, CardStock, Bond, Archive, Envelope						
Media size	Custom (metric) : 76 x 127 to 216 x 35	Custom (metric): 76 x 127 to 216 x 356 mm ; Supported (metric): A4; A5; A5(LEF); B5 (JIS); Oficio; Envelope (DL,C5) ; ADF: A4, A5, B5, Executive, Letter					
Media handling	Standard input: 150-sheet input tray S	Standard input: 150-sheet input tray Standard output: 100-sheet output bin ADF: Standard, 40 sheets					
Media weight	60 to 163 g/m²;			60 to 163 g/m ² ; ADF : 60 to 105 g/m ²			
Input capacity	Tray 1: Sheets (75 g/m²): 150; envelop	pes: 10 Maximum : Up to 150 sheets		Tray 1: Sheets (75 g/m ²): 150; envelopes: 10 Maximum: Up to 150 sheets ADF: Standard, 40 sheets			
Output capacity	Standard: Up to 100 sheets Envelopes	: Up to 10 envelopes Maximum : Up to 100 s	sheets				
Compatible operating systems ¹¹	Windows 11; Windows 10; Windows 7	; Windows Vista; macOS 10.15 Catalina; ma	cOS 11 Big Sur; macOS 12 Monterey				
Compatible network operating systems	Windows 11; Windows 10; Windows 7	; Windows Server; macOS 10.15 Catalina; m	acOS 11 Big Sur; macOS 12 Monterey; Linux				
Minimum system requirements	Windows: PC: Windows: 11: 64-bit, Windows: 10, 7: 32-bit or 64-bit, Intel® Pentium IV 1 GHz or higher, 1 GB RAM, 16 GB HDD: Windows: PC: Windows® 11: 64-bit, Windows® 10, 7: 32-bit or 64-bit, Intel® Pentium® IV 1 GHz or higher, 1 GB RAM, 16 GB HDD; Mac: OS X v10.11 or newer, AirPrint 1.8 compatible with MacOS 10.11, 1.5 GB HD, Internet, USB Windows: PC: Windows® 11: 64-bit, Windows® 10, 7: 32-bit or 64-bit, Intel® Pentium® IV 1 GHz or higher, 1 GB RAM, 16 GB HDD;			m ^e IV Windows: PC: Windows [®] 11:64-bit, Windows [®] 10,7:32-bit or 64-bit, Intel [®] Pentium [®] IV 1 GHz or higher, 1 GB RAM, 16 GB HDD; Mac: OS X v10.11 or newer, 1.5 GB HD, Internet, USB			
Software included	Common Installer, V3 Print Driver with only)	del Common Installer, V3 Print Driver with Lite SM, TWAIN/WIA Driver, HP MFP Scan, HP LJ Network PC-FAX, OCR program					
Security management	No	Password-protected network embe SNMPV2&V3 IPSec; Filtering : MAC,	dded Web server; enable/disable Network port: Pv4_IPv6	; SNMPv1 community password change;			
Printer management	None	SNIT VERVS, IT SEC, FILLERING . PIAC,	, , , , , , , , , , , , , , , , , , , ,				
Dimensions and weight							
Printer dimensions $(W \times D \times H)^{1}$	Minimum 406 x 359.6 x 253 mm; Max	Minimum 406 x 359.6 x 308.7 mm; Maximum : 482 x 447 x 421 mm					
Printer weight ²	7.46 kg			8.58 kg			
Operating environment	Temperature: 10 to 30°C; Humidity: 20 to 70% RH						
Storage conditions	Temperature: -20 to 40°C						
Acoustics	Acoustic power emissions: 6.5 B(A) (pr	inting at 20 ppm);					
Power	Requirements: 110-volt input voltage: 110 to 127 VAC, 50/60Hz and 220-volt input voltage: 220 to 240 VAC, 50/60Hz. Not dual voltage, power supply varies by part number with # Option code identifier.; Consumption: Active Printing: 300 watts, Ready: 38 watts, Sleep: 1.9 watts, Manual off: 0.2 watts, Auto off/Manual on: 0.2 watts; Typical Electricity Consumption (TEQ) ⁹ : 0.876 kWh/Week (BA), 0.924 kWh/Week (ES); Power supply type: Internal (Built-in) power supply			Consumption: Active Printing: 300 watts			
Energy savings feature technology	HP Auto-Off Technology; Power save	Power save					
Certifications	GB4943.1-2011; IS 13252(PART 1): 2010 Electromagnetic emission standard: GB17625.1-2012 CECP Telecom compliance: YD/T 703-2013; GB/T 15279-2002; YDN 065-1997; YD/T 2044-2009; TEC/IR/TX/FAX-01/05.MAR2015			IS 13252(PART 1): 2010 Electromagnetic emission standard: EN 61000-3-2: 2014, EN 61000-3-3: 2013, EN55024: 2010, EN 55032: 2012/AC: 2013, 47 CFR Part 15, Subpart B1 ANSI C63.4-2009, ICES-003 ISSUE 5, KN32, KN35, GBT 9254-2008, GB17625, 1-2012 CISPR22: 2008, GISPR32: 2012, CNS 13438 (Other EMC approvals as required by individual countries.) CECP Telecom compliance: TEC/IR/TX/FAX- 01/05.MAR2015			
Blue Angel compliant	No, please refer to the ECI (Ecolabel Co	omparison Information) document					
Country of origin	Made in China						
What's in the box	715A2A Preinstalled introductory HP L Black print cartridges (~1.5K pages); S Guide; Reference Guide; Regulatory	aser etup Black print cartridges (~1.5K pages) Guide; Reference Guide; Regulatory	P Laser Setup Black print cartridges (~1.5K pages, C Setup Guide; Reference Guide; Regula	H/IN); Setup Guide; Reference Guide; Regulatory			
	Statements Flyer; Power cord; USB cat		sable Statements Flyer; Power cord; USB ca	ble Statements Flyer; Power cord; USB cable; Telecom cable (4in1 only)			

Footnotes

¹ Requires the HP Smart app download. For details on local printing requirements see http://www.hp.com/go/mobileprinting

² Measured using ISO/IEC 24734, excludes first set of test documents. For more information, see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

³ For details on local printing requirements see http://www.hp.com/go/mobileprinting

⁴ Wireless operations are compatible with 2.4 GHz operations only. Learn more at http://www.hp.com/go/mobileprinting. Wi-Fi is a registered trademark of Wi-Fi Alliance®.

⁵ Mobile device needs to be connected to Wi-Fi Direct® signal of a Wi-Fi Direct-supported AiO or printer prior to printing. Details at http://www.hp.com/go/mobileprinting. Wi-Fi Direct® is a registered trademark of Wi-Fi Alliance®. ⁶ Fax capabilities and ADF only available on p, pn, pnw, and fnw models.

⁷ Wireless and mobile printing available only on w, nw, pnw, or fnw models.

⁸ Ethernet networking available only on nw, pn, pnw, or fnw models.

Technical specifications disclaimers

¹ Dimensions vary as per configuration

² Weight varies as per configuration

³ Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Power consumption values typically based on measurement of 115V device.

⁴ Declared yield value in accordance with ISO/IEC 19752 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see http://www.hp.com/go/learnaboutsupplies.

⁵ First Copy Out and Copy Speed measured using ISO/IEC 29183, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

⁶ 128 MB (DDR3-1333)

⁷ Measured using ISO/IEC 24734, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

⁸ Measured using ISO/IEC 17629. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

⁹ Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Energy Star value typically based on measurement of 115V device and 230V for Blue Angel.

¹⁰ HP recommends that the number of scanned pages per month be within the stated range for optimum device performance

¹¹ Windows 7 or higher



© Copyright 2022 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.



Windows 11